

Research on Highway Slope Stability and Reinforcement Technology

Xinglong Fu

*Sichuan Lanqiang Petroleum & Natural Gas Engineering Exploration and Design Co, Ltd,
Chengdu, Sichuan, China*

Keywords: Mountain rural road; Slope stability; reinforcement techniques; slope protection and landslide control; Landslide Prevention

Abstract: Mountain rural road slope stability is an important problem in transportation infrastructure, especially in places with complicated geology, much rain and little building stuff. In order to find out what factors affect slope stability in a village located in the mountains, this article will try to determine how we can prevent slopes from falling down. This study adopts a combination of theoretical analysis, case study and numerical simulation to evaluate slope performance of rural roads under diverse environmental conditions and typical loadings. Key influencing factors including soil properties, rainfall infiltration, seismic disturbance and human activities are investigated sequentially. Conventional retaining structures such as retaining walls and ground anchors, alongside ecological protection measures and drainage facilities, are also analyzed. In cases where they will be allowed: From the result, we find out that integrating structure method with ecological approach can greatly improve slope stability and decrease chances of land slide. And it is practical advice for mountain villages road's designing, building and keeping well when there is much money or technology.

1. Introduction

As the transport facilities keep on developing, mountain villages' roads are getting more crucial for the whole region's link up and economy progress. But because the terrains are complicated, geology is easily affected, and construction standards are not high, slopes becoming unstable have become a big problem in building roads in countryside areas. Slope failures like landslides can block roads, damage buildings and put people in danger. The stability of rural roads' slope depends on many things such as the rocks found under ground, how much it rains and what humans do too. Rainfall Infiltration, Seismic Forces: The former is probably the most common cause of slope failure in mountainous regions. Moreover, it's also because there is not enough money in the rural area and lack of proper designs and maintenance can cause more problems to be unstable as well, even though there are a lot of reinforcement techniques developed, they mostly serve big highway projects and might not be very applicable to rural areas. So, we have got to study the mechanism of slope stability and find out low-cost but applicable ways of reinforcing mountainous rural road slopes.

2. Literature Review

2.1 Theories of Slope Stability

Slope stability analysis of mountain village road is mainly based on the limit equilibrium method and numerical calculation method. Traditional ones like Bishop and Janbu work out the SF from a force equilibrium of driving & resisting. With the help of advanced finite elements and finite differences, we may analyze stress and deformation better which is suitable to complex geology. The inclusion of Probability Analysis and Reliability Theory makes the Uncertainty Assessment Better. In the past few years, 3 D numerical model and strength reduction technology has become more widespread in order to simulate real life conditions of slopes failing. Machine Learning is data driven, so it can also be used for prediction of slopes using the history. Hydraulic - Mechanical and Thermal - Hydraulic -Mechanical Multi-field coupling is closer to reality. With the development of computing power, hybrid methods of analytic – numerical methods are also used to obtain better results. The development of theory can be used as a better reference to evaluate the slope stability and also support road design in mountain village.^[1]

2.2 Influencing Factors of Slope Instability

Previous studies have identified several critical factors affecting slope stability. Geology structure, soil condition and groundwater condition is basic determinant. And there are external factors like rainfall, earthquake and human actions which can affect slope too. And especially rainfall induced landslide is very frequent in mountainous villages due to the fact that rain water seeps into soil and raises pore-water pressure. The slope failure caused by seismic activity is through disturbance of the inner part of soil and rocks. Moreover, Weathering occurs over a long time and makes rocks weaker which causes slopes to become unstable Human activities like digging for excavation, building roads, putting loads on the slope crest all make stress distribution different and speeds up deformation. If there are temperature differences, in particular the freeze-thaw process might harm it. Plants also have an effect too on what is stable as far as it goes with how wet or dry the soil gets and geologically there may be beds planes or cracks for slides to occur. There are other aspects such as fluctuations caused by the change of season, this might lead to a repetitive wetting and drying action upon the soil for a very long time and thus decrease the adhesiveness of soil. A run off worn layer of the surface slowly makes it through to find the softest part. Slopes with irregular geometries or excessive inclinations pose higher failure risks. Nearby ongoing construction, surrounding traffic and adjacent buildings all exert adverse impacts on slope stability. In addition, chemical reactions including mineral dissolution and oxidation alter the physicochemical properties of slope materials under specific environmental conditions. Collectively, these factors demonstrate the dynamic nature of slope systems and highlight the necessity of comprehensive integrated evaluation for slope failure mechanisms.^[2]

2.3 Existing Reinforcement Technologies

Many methods of reinforcing have been devised for improving the stability of slopes. Structurally similar to retaining walls, anti-slide piles and anchor cables, these structures function to prevent slope sliding. But when it comes to mountainous villages on the countryside road, they should also adapt according to costs and constructing conditions. Using ecological methods like planting protection is becoming more common since it's better for the environment and costs less. Dams are important to lower down groundwater level and pore water pressure, they both play a key role in slope stability. Recently there is new material and technology like geosynthetic and soil nail

that has improve the effective of reinforcement. Fiber-optic sensing and remote sensing monitoring technologies enable real-time tracking of slope performance. Modular construction shortens construction periods and is well suited for rugged terrain. In summary, conventional and modern technologies provide diverse solutions for rural slope protection. Future research is expected to develop high-strength lightweight construction materials with convenient installation and reliable structural performance. Prefabricated components simplify on-site assembly and reduce dependence on complex field construction procedures. In addition, ecological reinforcement techniques have attracted increasing attention, as they ensure structural stability without damaging the surrounding environment. Continuous monitoring tech can spot changes before they happen and give info for keeping things in good shape. Also we can combine this with digital building model, so it will allow us to always have the right timing for making a change on monitoring. And it helps achieve better, greener and smarter slope protection system which is fit for villages in the mountains.^[3]

3. Research Methodology

3.1 Research Design

In this paper the author uses combination of all four type of research methodology: theoretical analysis, case studies, numerical simulation. The purpose is to look at slope stability in different environments, and also examine how well different types of reinforcement work. It follows a process like the ones of finding problems and establishing models then changing parameters and checking it all along in my study. Typical rural road slope cases are selected to reflect diverse service conditions. Numerical simulations are conducted to reconstruct field conditions and test multiple reinforcement schemes. Sensitivity analysis is further performed to quantify the influences of key controlling factors. Also, there are extreme conditions like heavy rainfalls and sudden change of loads that can be added to this model: The iteration process for the validation procedure is carried out. This structure approach will make sure there is a good relationship between theory and engineering use, also it takes multi scale analyse into account so it could be more appropriate for local deformation characteristics and the whole slope. Different model scales correspond to distinct boundary conditions, thereby leading to varied stress distributions. And it uses scenario comparison to see how well those new building parts do when different things happen around them, like rainy seasons or stuff wearing away over many years of time. To improve reliability, we have several checks built into our model; it keeps improving little by little as if checking its own work. The framework is flexible enough that this methodology can work on all kinds of different types of rural slopes depending on what the geology looks like. With such structural setup and iterative calculation, this study lays a solid foundation for accurate slope analysis and practical engineering application.^[4]

3.2 Data Collection and Sample Selection

The dataset is derived from multiple mountainous rural roads, covering geological records, rainfall statistics and engineering design parameters. According to the characteristic of different heights of slope, gradient, type of soil and environment expose, some representative slopes have been chosen. I used the field investigation report and the monitoring data to improve the truthfulness. Historical slope deformation and failure records are also included. Data preprocessing was done to get rid of outliers and make things more consistent. To make the data comparable, we have applied standardization method and also include the data having time factor into it. To do the classification of different kinds of slopes, we adopted some methods for integrating data. The data collected through such an exhaustive data collection is sure to have a better result in the research,

and also take into account the space distribution and regionality to make the data representative of all different mountain areas. Samples are classified based on geological and slope shape, it helps to have a more specific analysis. Data validation methods are used to make sure everything is accurate and consistent among different places. It includes long term monitoring data which can see things changing over time on the slope so we get how it evolves from day to day. We give particular consideration to data being complete so that we don't have incomplete info impact our results. By gathering up lots of sorts of info together with systematic filter methods, I've put in place something that we can really depend upon to explore more about; it gives us better confidence regarding the findings.^[5]

3.3 Analytical Methods

Limit equilibrium method and Numerical simulation method is used for studying the slope stability. The finite element is used to simulate the stress distribution, deformation pattern. Field data are adopted to define calculation parameters for higher precision when comparing different reinforcement measures. I did a simulation of staged loading and rainfall infiltration. Simulation environment is similar to real life. Like displacement contour lines, stress fields kinds of stuff helps out in finding weak places where things will break. To make sure they all agree, cross validation was carried out. More analysis is done like convergence checking and running scenarios to see how the model does with different things. Sensitivity analysis is carried out to find out what matters most. And these complete analysis method are the base of every engineering purpose, then also do some uncertain analyze to find out what is changing in simulation for all variables. Boundary conditions have been examined in different ways to see how it influences the model and its stability. Analytical process will do comparison for reinforced or not, it is how much technology works. Visualization techniques facilitate interpretation of complex simulation results and help identify critical slope zones. Iterative calibration of model parameters further improves the agreement between numerical predictions and field monitoring data. Using the integration of different analysis methods can have an overall better knowledge on how slopes respond and gives great help in making actual decisions based on real engineering problems.^[6]

4. Results and Discussion

4.1 Analysis of Slope Stability Factors

From the above results, we can see that soil and water condition is the main cause of instability on a slope. The higher the soil moisture content, the lower the shear strength and the higher the risk of slope failure. And the steep hills with weak geology is much less stable. And soil permeability affects the migration of water and pore pressure. Prolonged rainfall and seasonal variation alter the internal state of slope masses. Geological discontinuities such as joints and fractures can evolve into potential sliding surfaces. Human activities including excavation and backfilling disrupt slope equilibrium and accelerate adverse geotechnical variations. From monitoring data, it is found that deformation usually happens gradually and then suddenly fails. Material heterogeneity and environmental conditions make things more difficult for slopes; we must keep watching them and taking everything into account. It is shown from our analysis that the soil differs by layer, so there are uneven mechanical characteristics affecting it all. Grain size variances, differences in cohesion impact shear resistance & how much it deforms. When there are changes in the level of groundwater and time it affects internal pressure so sometimes it can be unstable. The stress caused by the traffic loading, or even by that of the construction will add up more and it is growing.^[7] Rainfall runoff will wear down at the surface and then it leaves what was previously protected

out. Because when you destroy the vegetation, it takes away some of the surface strength that holds something up. These interacting parts make up a system that needs integrated analysis to be understood in full so we don't have any surprise slope collapses.

4.2 Effectiveness of Reinforcement Technologies

Structural reinforcement things like anchor cables or retention walls also mean there is more opposing thing, so the slope may be made more stable. But in the countryside, price and building possibilities should be taken into account. Drainage systems greatly lower the pore water pressure, and they have an important part in keeping rain from causing landslides. Vegetation based, it will make things more stable and help with erosion. However, we cannot do this by ourselves on a large scale for a big slope. It is observed in the fields that good reinforced system will reduce displacements and prevent failures. The success of reinforcement is contingent upon good design, proper construction and constant care. There are some improvements made by the advances on construction technique as well as monitoring technology. Reinforcement method choice takes local geology and availability into account to make it practical. Simplified constructions are usually what is wanted for the countryside as they lack capability. Material longevity is important for lasting well over time because it gets weakened bit by bit when exposed to nature. From the monitoring result, we know that slope with reinforced is controlling deformations better and can resist more external disturbance. It is necessary to do regular inspections and maintenance to last long. The use of Geosynthetics, Modular Supports & New Technologies gives us the flexibility to handle different kinds of Slopes. The development has been made more adaptable and efficient, so the reinforcement measure can be better applied to many types of villages.^[8]

4.3 Integrated Reinforcement Strategies

From the result, we can see that it is beneficial to use more than one type of reinforcement. Using integrated methods like anchors + drainage + vegetation produces structural benefits as well as environmental ones. Different reinforcement actions get along well, taking care of all kinds of failures. Structural improvement enhances slope resistance, drainage systems control pore water accumulation, and ecological measures mitigate erosion impacts. From my case study, I think we are looking at slow deformations over time. Although the first cost is high, it can be lower with subsequent costs. And these were especially good on mountains in rural areas, places you needed to make things work and stay working. And it was evaluated further that when systems had many parts the load got spread out better. The coordination between all these various things would improve everything and reduce the chances of something failing locally.^[9] Design optimization is making sure every part does well in the whole group, so it works better but doesn't waste things. In the field, it works pretty good under different conditions like lots of rain and being loaded for a long time. Continuous monitoring and iterative parameter adjustment avoid operational inefficiency. Although initial construction costs increase, such expenses are offset by long-term savings on slope maintenance and repairs. And these results also show us it's good to make a balanced integrated solution for making the slopes around complicated villages more stable.^[10]

5. Conclusion

In this paper it is shown that the stability of slopes in mountainous villages mainly depends on geology, rainfall and people. Many reinforcement technologies work well, but they need to be chosen properly and used together. The combination of structural engineering and ecological protection constitutes the most reliable long-term solution for slope stabilization. In the construction

of rural roads, cost effectiveness is more important than adaptability and sustainable development. The engineering design should be according to the local landform and materials, otherwise it can't work out practically. Reasonable planning and carrying out will greatly lessen upkeep and increase service life. Designing, building and managing have to coordinate with each other. In the future we need lower cost monitoring systems as well as new materials and adaptive reinforcements that can make a difference in our evaluation of slope stability and help keep our country roads safe. A lot of interdisciplinary studies are necessary for giving a complete technical help towards slope protection.

References

- [1] Zhang Yujun, Huang Jinhao, Zhou Hanwei. *Stability analysis and anchor reinforcement of bedding rock slopes based on the strength reduction method*[J]. *Jiangsu Construction*, 2024, (06): 96–100.
- [2] Li Caizhi, Liang Yong, Lu Hao, et al. *Analysis of emergency treatment measures and effectiveness evaluation of highway slope disasters*[J]. *Guangdong Highway Communications*, 2024, 50(06): 30–35+53.
- [3] Li Qinren. *Stability evaluation and reinforcement design of high-fill subgrade slopes*[J]. *Science & Technology Vision*, 2024, 14(36): 106–109.
- [4] Liu Jialing, Du Anpeng. *Comprehensive evaluation of open-pit slope stability based on the finite element method*[J]. *China Mine Engineering*, 2024, 53(06): 73–76+82.
- [5] Yang Yunlin. *Kinematic analysis method for the stability of steep granite slopes*[J]. *Geotechnical Foundation*, 2024, 38(06): 1015–1021.
- [6] Meng Xiangyu, Wang Ningyuan, Wang Jianxin. *Landslide analysis and treatment of highway slopes*[J]. *Construction Technology Development*, 2024, 51(12): 125–127.
- [7] Dong Jing. *Research on ecological protection design of highway slopes*[J]. *Transpo World*, 2024, (33): 13–15+25.
- [8] Zhang Gaoliang, Guo Shouhao. *Study on stability of steep slopes and optimization of anchor cable support*[J]. *Highway*, 2024, 69(11): 30–38.
- [9] Zhang Xiao. *Stability analysis and support design of mountain highway slopes*[J]. *Transportation Technology and Management*, 2024, 5(19): 127–129.
- [10] Zhang Xiaoyan, Ji Junhui. *Slope stability analysis and reinforcement technology in highway engineering*[J]. *Automobile Weekly*, 2024, (10): 118–120.